Journal of Applied Polymer Science

Subject Index to Volume 51

Absorption kinetics, 1753
Acetylation, of tannin, 2125
Acid/base interactions, between polymer and substrate, 521
Activation energy, 231
Adhesion, 415, 1591
Adhesive monomers, 2021
Adhesives, 1199, 1207, 1319, 2021, 2109, 2125
Adsorbed diblock interphases, 521
Adsorption, 651
Adsorption free energy, 695
Air separation, 743
Aircraft matrix resins, 1479
Alginates, 1771
Aliphatic solvents, 1715
Alkaline cure acceleration, 1351
Amines, 1817
Analytical TREF, 303
Anisotropic films, 945
Anisotropy, 831
Annealed injection-molded polyamide 6,6, 463
Annealing, 683
Antigen–antibody reaction, 1277
Antirad formulations, 1505
Aqueous polymerization, 1575
Aromatic compounds, 443
Autocatalytic kinetic model parameters, 761
Autocondensation, 2109
Autocurable resins, 1901
Average diffusion coefficient, 939
Avrami exponent, 231
Avrami's method, 399, 407

Basic aqueous developers, 1971
Bending phenomena, 375
Bernoulli probability model, 547
Bifunctional monomer, 1499
Biodegradable natural composites, 1231
Biodegradable polymers, 1045
Biological aqueous media, 1097
Biomedical polymers, 1389
Birefringence, 619, 1251, 1291
Blend compatibilizers, 1283
Blend rules, 187
Blending, 873
Blends, 57, 187, 223, 231, 245, 259, 365, 563, 635, 643, 755, 955, 1053, 1283, 1357, 1381, 1453, 1463, 1521, 1559, 1765, 1823, 1835, 2187
Branching, 989
Branching distributions, 303
Breaking thread method, 1515

C NMR spectroscopy, 13
^{13}C-NMR, 675, 1533
^{13}C-nuclear magnetic resonance (NMR), 1861
Calcium alginate gel fibers, 1771
Carbon fiber–high temperature thermoplastic interface, 737
Carbon fiber precursors, 2015
Carbon fiber-reinforced composites, 2145
Carbon-13 nuclear magnetic resonance (^{13}C-NMR) spectroscopy, 547
Carbon-13 spin-lattice relaxation rates, 1861
Case II diffusion (non-Fickian) mechanism, 945
Catalytic hydrosilylation, 483
Cationic graft copolymerization, 721
Cellulose fibers, 285
Ceramics, 2021
Chain extender, 2187
Chain-extender component, 435
Chain extension, 905
Chain transfer agents, 21
Chain-transfer agents, 749
Charged thin film composite membranes, 1071
$CHCl_3$ plasma treatment, 2131
$^{13}C\{^1H\}$-NMR spectra, 669
Chemical bond formation, 737
Chemical crosslink density (CLD), 2157
Chemical doping, 1213
Chemically similar acidic probes, 695
Chemiluminescence (CL), 1097
Chitosan/calcium alginate encapsulation process, 1427
Chitosan membranes, 2191
Choker bar, 1005
Clear/cloud glazing, 731
Coating industry, 1539
Coatings, 1591, 1597
Coefficient of thermal expansion (CTE), 2047
Coemulsion, 1539
Cold, microwave plasma treatments, 285
Cold-setting wood adhesives, 1319
Collagen biomatrix, 765
Comonomer reactivity ratios, 669
Compatibilizing agent, 1189
Complex fibers, 337
Composite films, 1221, 1347
Composite laminates, 1479
Composite membranes, 605
Composites, 285, 353, 399, 521, 683, 737, 761, 831, 1129, 1159, 1629, 1875, 1883
Composition drift, 2073
Computer simulation model, crystallization process, 399
Conducting materials, 1221
Conductivity, 1159, 1575
Confocal scanning laser microscopy (CSLM), 1097
Continuous recycle esterification model, 1323
Conversion (T_g–temperature–property diagram, 1741
Copolyamides, 2063

Copolyester melts, 1913
Copolyesters, 999, 1035, 1727
Cornstarch, in foam formulation, 1311
Corona-discharge treatment (CDT), 121
Corrosion resistance, of coatings, 1591
Crosslink component, 435
Crosslinking, 245
Cross-linking, 537, 781, 1351, 1353, 1357, 2125
Cryogenic adhesives, 1199
Crystal phase, of PVA films, 613
Crystalline–amorphous type block copolymers, 1709
Crystalline orientation, 201
Crystalline structure, of membranes, 2191
Crystallization, 51, 1463, 1709
Crystallization kinetics, 231, 399, 407
Crystallization rate coefficient (CRC), 51
Cure behavior, 353
Cured bismaleimides (BMI), 513
Cured resins, 203, 537
Cure kinetics, 353
Curing, 513, 1441, 1607
Curing behavior, of blends, 1823
Curing kinetics, 453
Curl-free high-adhesion polyimide/copper laminate, 1647

Decomposition, of polyurethane foams, 675
Degradation, 781, 1035, 1045, 1087, 1097, 1389, 1505
Degummed silk fibers, 619
Dehydrochlorination, 2175
Delignification treatments, 583
Density, 1251
Dental ceramics, 2021
Depletion stabilization, 1653
Desorption, 1685
Diblock polymers, 521
Dielectric relaxation studies, 863
Diels–Alder reaction, 815
Differential scanning calorimetry, 769, 1701
Differential scanning calorimetry (DCS), 57
Differential scanning calorimetry (DSC), 51, 169, 177, 231, 353, 423, 453, 573, 823, 999, 1097, 1189, 1357, 1463, 1575, 1727, 1823, 1979, 2063
Differential scanning calorimetry (DSC) and tensile testing, 43
Differential thermal analysis (DTA), 683, 1883, 1937
Differential viscometer (DV) detector, 2087
Diffusion, 945
Diffusion coefficient, 895, 939, 1797
Diffusion coefficients, 1923
Diffusion, of methyl esters, 2165
Difunctional epoxy resins, 1945
Diluents, 213
Dilute solutions, 1715
Diol chain length, 491
Dispersion polymerization, 1485
Dissolution, 297
Dissolution of perfluoroalkyl oligomers, 1339
Divalent metal salts, 537
Donnan model, 81
Doped PPO films, conduction properties of, 1213
Doping, 1835
Doping process, 1347
Double melting phenomena, 57
Dow's INSITE® technology, 887
Drug-delivery devices, 979
Dry spinning, 337
Durable press (DP) finishing systems, thermal characteristics, 769
Dyeability, of silk fibers, 619
Dyes, 1753
Dyes, nonlinear optical parameters, 1165
Dyes, synthesis and characterization of, 1165
Dynamic contact angles (DCA), 1207
Dynamic light-scattering technique (DLS), 1715
Dynamic loading, 1527
Dynamic mechanical analysis (DMA), 513, 1199, 1357
Dynamic mechanical thermal analyzer (DMTA), 1453
"DYTEK" A amine, 1353

Elastomer–filler combination, 701
Elastomeric functionality, 1077
Elastomers, 1077, 1353, 1365, 1629, 1777
Electric-field-sensitive polymers, 375
Electrical conduction, 1213
Electrically conductive pseudo IPNs, 1835
Electrochemical impedance spectroscopy, 625
Electrodeposition, 1539, 1597
Electrolyte solutions, 625
Electrolytes, 81
Electron beam chemistry, 1781
Electronic encapsulation, 2047
Electron spectroscopy for chemical analysis (ESCA), 2015
Electron spin resonance (ESR), 1159, 2139
Electrostatic stabilization, 1653
Elution temperature, 303
Emulsion copolymer systems, 1985
Emulsion copolymerization, 593, 2073
Emulsion polymerization, 503, 1621, 1653
Emulsion polymerization systems, 21
Encapsulation, 1427
Energy dispersion X-ray microscopy (EDXM), 555
Enzyme immobilization, 1239
EPDM gum vulcanizates, 1365
E/P ratio, 643
Epoxides, 1931
Epoxy molding compounds (EMCs), 2047
Epoxy resins, 203, 491, 905, 1539, 1539, 1945
Epoxy resins, enhancement of toughness, 905
Epoxy resins, reduction in water absorption, 905
Equations of state, 711
Equilibrium swelling, 2157
Esterifications, 1323
Ethanol/water mixtures, 2057
Ethylene–α-olefin copolymers, effect of chain

microstructure on modulus, 887
Evapomeation, 2007
Extrusion, 1175
Extrusion die, 1005

Fabrics, 389
Fatigue, 1107
Fatigue fracture behavior, 873
Fatigue-resistant nylon alloys, 873
Fenton's reagent, 1421
Fiber-reinforced composites, 399, 831
Fiber-reinforced Poly(phenylene sulfide) (PPS), 407
Fiber reinforcement, 1629
Fibers, 285, 329, 337, 345, 583, 619, 737, 831, 1291, 1567, 1771
Fick's law, 945
Fick's second law, 939
Fick's second law of diffusion, 2145
Fickian diffusion, 2165
Filler content, determination, 1875
Filler/matric interaction, 1159
Films, 89, 105, 121, 271, 279, 925, 1141, 1175, 1221, 1269, 1347, 1479, 1597, 1673
Finite element analysis (FEA) modeling technique, 89
Flame-retardant polyethylene foam, 841
Flexural fatigue, 1107
Flory–Huggins theory, 1053
Flory–Huggins thermodynamic interaction parameter, 1189
Flow alignment procedure, 1141
Flow behavior, 643, 1629
Flow nonuniformities, production variations from an extrusion die, 1005
Fluidized bed drier, 1119
Fluorescence emission, 1549
Fluorinated (FKM) vulcanizates, 71
Food packaging polyester fibers, 1753
Fourier transform infrared (FTIR) analysis, 1539
Fourier transform infrared (FTIR) spectroscopy, 895
Fourier transform infrared photoacoustic spectroscopy (FT-IR/PAS), 389
Fourier transform infrared spectroscopy (FTIR), 13
Fracture mechanics, 1381
Fracture toughness, 1527
Fracture toughness evaluations, 1841
Free-radical polymerization, 1701
Free radical solution polymerization, 1673
Free-radical solution polymerization, 669
Free radicals, 1389
Free volume, 1521
Free-volume theory, 1581, 1991
Fujita model, 661
Functional groups, 1485
Functionality, 1077

γ radiation, 1505
γ-ray irradiation, 193
Gamma irradiation, 823
Gamma-sterilization, 313
Gas chromatography (GC), 721
Gas chromatography–mass spectrometry (GC–MS), 721
Gases, 1399, 1405
Gas permeability, 855
Gas transport, 1015, 2103
Gel fibers, 1771
Gel-layer formation, 297
Gel permeation chromatography (GPC), 473, 675, 972
Gel-supported membranes, 1183
Gelation, of poly(vinyl alcohol) (PVA) solutions, 2041
Gels, 279, 375, 989, 2041
Gibbs free-energy change upon adsorption, 695
Glass fiber polyamide composites, 1883
Glass-transition point, 1015
Glass transition temperature, 999
Glass transition temperature, T_g, 1521
Glassy polymer–penetrant systems, 1791
Glazings, 731
Globulin-immobilized fine particles, 1277
Glucose oxidase membranes, 1735
Graft copolymerization, 721, 807, 1303, 1421, 1499, 1567, 1817, 2175
Graft copolymers, 1283
Graft polyethers, 1931
Graft polymerization, 1269
Grafting, 63, 329, 807, 841, 1421, 1499, 1567
Grüneisen parameter, 1805

Hansen's model, 1849
Hard-domain aggregation, 365
Hardwood kraft lignin, 1319
Heat sealing, 89, 105, 121
Heat transfer, 153
HEMA concentration, 2175
Hemoglobin encapsulation, 1427
Henry's law, 2103
Heterogenous systems, 187
High-energy radiation-resistant elastomeric vulcanizates, 1505
High-permeance collection layers, 605
High T_c oxide superconductor, 1151
Hindered phenol antioxidants, 895
Hollow-fiber membrane, 193
Homogenous systems, 187
Hopkinson's tensile bar apparatus, 1527
Horticultural products, 1311
HTPB-based propellants, 435
Hydrogel capsules, 979
Hydrogels, 2001
Hydrolytic degradation, 473, 1035
Hydrolytic destruction, 241
Hydrophilic foams, 1311
Hydrosilylation, 815
Hydrosilylation condensation polymers, 605
Hydroxyl absorption, 491
Hygrothermal aging, 2145
Hysteresis phenomena, 765

Immobilization, of biological molecules, 1427
Immobilization, of enzymes, 1239

In situ compatibilized polymer blends, 955
Infinite dilution diffusion, 1923
Infrared (IR) identification, of carboxylic acids, 1411
Infrared spectroscopy, 241
Inherent blocking force, 271
Injection molding, 223
Interaction between polymers, 1559
Interchain crosslinking, 245
Interchange reactions, between blend components, 223
Interfacial adhesion, 1373
Interfacial degradation, 2145
Interfacial temperatures, 89
Interfacial tension, 955, 1515
Interpenetrating polymer networks (IPNs), 979
Interphase adhesion, 955
Intramicellar direct α-set attack, 2125
Inverse gas chromatography, 1189
Inverse gas chromatography (IGC), 521, 695, 1923
Iodine concentration, 613
Ion exchange, 1679
Ion sorption, 81
Ionomers, 1453
Irradiated silk fibers, 823
Isomers, 2007
Isothermal crystallization, 407
Isotherms, 1791
Isotropic films, 945

J-integral, 1381

Kelen–Tüdös (KT), 669
Khan's model, 1923
KI concentration, 613
Kinetic behavior, of adsorption of weak polyacid, 651
Kinetic grafting, 63
Kinetics parameters, 231
Kraft lignin fillers, 701
Krigbaum and Wall theory, 635

Laminates, 1107
Langmuir–Blodgett (LB) films, 2035
Latex, 1653
Latices, 1485
LCP/PP blend morphology, 259
Lewis acids (LA), 241
Lignin–caprolactone copolymers, 563
Lignin caprolactone starlike copolymers, 563
Linear elastic fracture mechanics (LEFM), 1841
Linear low-density polyethylene (LLDPE) blown films, 271
Liquid crystalline naphthalenediol copolyesters, 1913
Liquid–glass interface, 651
Liquid natural rubber (LNR), as compatibilizer, 1357
Loading rates, 1527
Locus method, 1381
Loop reactor, 503
Low-density polyethylene (LDPE), 895
Low-stress encapsulants, 2047
Lower critical solution temperature (LCST), 731
Lubricants, 1339

Macromolecular entanglements, 1433
Magnetic field processing, 1141
Mass distribution, 473
Mass spectroscopy, 423
Mass transfer, 21
Matrix SAN, 1765
Maximum likelihood method, 547
MDI-based polyester elastomer, 1077
Mechanical crushing, 1667
Medical devices, postirradiation resistance of polypropylene for, 313
Melt blending, 955
Melt condensation, 989
Melt crystallized blends, 1463
Melt fracture, 643
Melt iodine level, 989
Melt polycondensation, 999
Melt transition temperature, 999
Melt viscosities, 259
Melt viscosity, 1991
Melting, 1463, 1683
Melts, 1913
Membrane potential, 1735
Membranes, 483, 529, 743, 1015, 1021, 1071, 1659
Membranes, crystalline structure, 2191
Metallic chelates, 1679
Metallic salts, 63
Metallization, 1373
Metallization, by wet process, 1373
Methyl esters, diffusion, 2165
Microgels, 1063
Microlithography, 297
Microparticles, 1063
Microphase separation, 1709
Microporous glass membrane (SPG), 1
Mid-infrared spectroscopy, 491
Miscibility, 1559
Miscible systems, 563
Mixed chain extenders, 43
Mixed soft segments, 43
Mixed solvent grafting, 2175
Modified Rouse theory, 1991
Moelwyn–Hughes parameter, 1805
Moisture absorption, 2145
Moisture-induced plasticization, 2145
Molar mass, 1991
Molding compounds, 1945
Molecular orientation, 1251
Molecular weight, 1959, 1979, 2087
Molecular weight (MW), 972
Molecular weight distribution (MWD), 271, 313, 887, 972
Molten polymers, 1607
Molten-state copolycondensation, 1913
Monomer desorption, 1119
Monomer partitioning, 1985
Monomer-to-water ratios, 2073
Monomers, 689, 2021, 2073
Monosize polystyrene (PS) latices, 1485
Multiblock copolymer systems, 365
Multiphase polymeric materials, 563
Mutual diffusion coefficients, 661

Naphthalene ring-containing polyamides, 2063
Natural rubber–HDPE blends, 1357

Natural rubber vulcanizates, 2157
Near-infrared spectroscopy, 491
Network molecular systems, mechanical properties, 931
Neutralization, of latent anionic sites of TPU, 2187
NIPAAm-grafted polymer films, temperature-responsive characteristics, 925
Nitroglycerine (NG) migration, 939
Non-Fickian diffusional model, 979
Nonaqueous phase dispersion (NAD) polymerization, 1239
Nonhalogen routes, for synthesis of phenylsilanes, 815
Nonlinear error in variables method (EVM), 669
Nonwoven fibrous reinforcing structures, 1629
Nuclear Overhauser enhancement (NOE), 1861
Nucleating agents, 51
Number-average molecular weight, 2087
Nylon 6-based composite films, 1221
Nylon 6–clay hybrid (NCH), 683

Oligomeric, 593
Organic fibers, 573
Oxidation process control, 2015
Oxidative degradation, 1389
Oxygen-enriched air (OEA), 743
Ozawa–Flynn method, 1087

Particle agglomeration, 1653
Particle control, 1029
Particle size, 1621
Particle-size analysis, 1485
Particle size distribution, 1985
Particles, 1667
PE-LD process, 253
Peel strength, 415
Pendent drop method, 1515
Penetrant–polymer systems, 1797
Penicillin–amidase immobilization, 807
Permeability, 2027
Permeation, 1071, 2007, 2103
Permeation cells, 1735
Permselectivity, 855
Pervaporation, 529, 2007, 2057
Pervaporation membranes, 689
Pervaporation separation, 1021
Phase behaviors, 1959
Phase equilibria, 253
Phase inversion, 245
Phase separation, 365
Phenomenology based equation of state, 711
Phenylsilicones, 815
Photoacoustic FTIR technique, 463
Photocross-linking, 863
Photocrosslinking, 1129
Photocuring, 863
Photodegradation, 1549
Photografting, 925
Photoinduced graft copolymerization, 1499
Photoinitiated graft copolymerization, 807
Photoinitiators, 133
Photooxidation, 389, 1411
Photopolymerization, 2139
Photopolymerization parameters, 931
Photosensitive polyimides, 1971
Photoyellowing, of silk, 345
PI/PI adhesion strength, 415
Plasma modification, 285
Plasma polymerization, 689
Plasticizer, 1521
Plasticizers, 529
Polarized internal reflectance spectroscopy (IRS), 1251
Polarized light microscopy (PLM), 51
Polarizing microscopy, 1979
Poly(aryl-ether-ether-ketone) PEEK, permeability, 2103
Poly(methyl methacrylate), biodegradable, 33
Poly(vinyl alcohol) (PVA) films, 613
Poly(vinyl alcohol) (PVA) membranes, preparation, 2057
Poly(vinyl chloride) (PVC), with higher molecular weight (HMW-PVC), 755
Poly(vinyl chloride) (PVC), with low molecular weight (LMW-PVC), 755
Poly(vinyl chloride) with broad molecular weight distribution (BMD-PVC), 555
Poly(vinyl chloride), with low molecular weight (LMW-PVC), 749
Poly(vinyl chloride) with lower molecular weight (LMW-PVC), 555
Polyacrylic network, 1207
Polyamides, 2063
Polycarbonate (PC), fracture toughness, 1841
Polychloroprene rubber (CR), 1353
Polydimethylsiloxane (PDMS) membranes, 483
Polyester dyeing, 1753
Polyethylene foam, 841
Polyflavonoid tannin extracts, 2109, 2125
Polyhydroxybutyrate (PHB) processing, 1231
Polyimide blends, 1823
Polyimide films, 415
Polyimide/metal laminate, 1647
Polyimide resists, 1971
Polyimides, 1647
Polymer biocompatibility, 1389
Polymer-diluent mixtures, 213
Polymer–filler interaction, 701
Polymer–gas systems, 1607
Polymer matrix, 1411, 1629
Polymer matrix composites (PMCs), 1107
Polymer melts, 711, 1515
Polymer–metal complex, 1151
Polymer mixing, 1521
Polymer mixtures, 635
Polymer pairs, compatibility, 635
Polymer–polymer miscibility, 1559
Polymer–solvent systems, 1791
Polymeric-based sealants, 701
Polymeric chains, 1679
Polymeric membranes, 625
Polymeric microspheres, 1
Polymeric ultraviolet UV absorbers, 573
Polymerizable photoredox initiation system, 2139

Polyolefins, 1581
Polyolefins, heat-sealing behavior, 105
Polypropylene films, surface chlorination, 2131
Polysulfide sealant compositions, 1441
Polysulfone ultrafiltration hollow fibers, 1183
Polyurethane elastomers, 1777
Polyurethane foams, 1311
Polyurethane networks, 2001
Polyvinylpyridinium salts, 1781
Pore size distribution, 381
Porous membranes, 2027
Potassium permanganate–thioacetamide redox system, 1817
Powder cellulose (PC), 241
PP/EPDM binary blends, 1453
Prepolymerization, 1029
Primer–surface (pricer) electrodepositable paint, 1539
Propellants, 435
Proteins, 1683
Proton-exchange membranes, 1659
Pulse heat release, 1607
Pulse thermal probe method, 1607
Pure poly(phenylene sulfide) (PPS), 407

Radiation, 1683
Radiation grafting, 841, 1659
Radiation-induced graft polymerization, 1269
Radiation-induced sol–gel transition of protein, 1683
Radiochemical graft copolymerization, 329
Reaction temperatures, 1323
Reactive liquid polymers (RLPs), 1959
Redox-initiated grafting, 1421
Regenerated cellulosic fibers, 583
Resin parameters, 435
Resins, 203, 381, 513, 537, 863, 887, 1119, 1199, 1351, 1539, 1597, 1679, 1901, 1945
Resist dissolution rate, 1971
Reverse osmosis separation, 1071
Reynold's number, 503
Rheometric dynamic spectrometer (RDS), 1453
Rheovibron DDV III EP, 1365
Rice husk ash (RHA), 1875
Rigidity modulus, 967
Ring-opening copolymerization, 1931
Rockwell hardness, 537

Salt solutions, 375
Scanning electron microscopy (SEM), 513, 555, 1199, 1231, 1381, 1453, 1527, 1575, 1781, 1913
Sealants, 1441
Seeded emulsion copolymerization systems, 593
Seeded emulsion polymerization, 1239
Segmented polyurethanes, 1087
Self-diffusion coefficients, 661
Semiconductor sensors, 625
Semiconductors, 1945
Separation, 2007
Separation of water/ethanol mixtures, 529
Sepiolite, 1189
Sequence analysis, 1533
Shape factor, of fibers, 967
Shear degradation, 781
Shear rate, 1701
Shear-stress dependency, 781
Short chain branching, 13
Short-chain branching distribution (SCBD), 887
Short glass E-fibers, 1883
Silk fibers, 345
Silk fibroin fibers, 823
Size exclusion chromatography (SEC), 2087
Size exclusion chromotography (SEC), 1231
Small and Hoy calculation methods, 1849
Small-angle light scattering (SALS), 1175
Small angle neutron scattering (SANS), 1053
Solid phase extraction, 443
Solid-state polymerization, 1727
Solubility parameters, 1849
Solubility phenomena, 253
Solution-diffusion theory, 1021
Solution–diffusion theory, 2007
Solution polymerization, 1673
Solution spinning, 1151
Solution viscosity, 1701
Solvent diffusion, 945
Solvents, 1291, 1817, 1923
Sorbents, 443
Sorption, 443
Sorption/desorption kinetics, 1797
Sorption equation, 1791
Sorption equilibria, 1797
Sorption kinetics, 1685
Spandex polymer, 1685
Specific fracture energy (SFE), 1841
Specular reflectance technique, 463
Specular reflection spectra, 463
SPG emulsification technique, 1
Spin-lattice relaxation mechanism, 1861
Spinning, 337, 1151
Spinning processes, 583
Spontaneous hydrolytic degradability, of copolyesters, 1035
SPPO membranes, 1405
Standard linear solids model (SLSM), 1777
Static strain, 1365
Steam exploded wood, 583
Stereocomplex formation, 337
Steric effects, 695
Stress-at-break, 931
Stress–strain curve, 619
Substrates, 1735
Sulfenamide accelerators, 169, 177
Sulfonation, 1399, 1405
Superconducting edge junctions, 2035
Superconductor–insulator–superconductor (SIS) devices, 2035
Surface functionalization, 1063
Surface grafting, 1063
Surface modification, 193
Surface-mount epoxy resin-molded IC packages, 1945
Surface reactive acetal groups, 1063
Surface treatment, 71

Suspension polymerization, 381, 443, 555, 749, 1667
Swelling, 765
Swelling differential scanning calorimetry (SDSC), 1433
Syneresis, 2041
Synthetic resins, 1679

Tannin-formaldehyde adhesives, 2109, 2125
Teas' method, 1849
Temperature-responsive characteristics, of NIPAAm-grafted polymer films, 925
Tensile properties, 1527
Tensile rheometer, 213
Tensile tester, 1303, 1453
Ternary blends, 1453
Tetrahydropyran rings, 1035, 1045
Thermal analysis, 203
Thermal behavior, of blends, 1823
Thermal behavior, of copolymers, 1937
Thermal decomposition, 169
Thermal degradation, 423, 1087, 1549, 1659
Thermal gravimetric analysis (TGA), 1575
Thermal oxidation, 389
Thermal shock cycling test, 2047
Thermal stability, 749, 755
Thermal transitions, 999
Thermoacoustical parameters, 1805
Thermogravimetric analysis (TGA), 1303, 1875
Thermogravimetry, 769
Thermogravimetry (TG), 1659, 1937
Thermogravimetry (TGA), 423
Thermomechanical analysis (TMA), 823
Thermoplastic composites, 1883
Thermoplastic elastomers, 1685
Thermoplastics, 711, 737, 1515
Thermoset cure, 761
Thermosetting materials, 153
Thermosetting systems, 1741
Thermotropic behavior, of hydroxyethyl cellulose acetate (HECA), 1979
Thin cellulose-2.5-acetate membranes, electrical behavior, 625
Tilted orientation, 201
Torsional braid analysis (TBA), 1741
Transetherification reaction, 1533
Transmission election microscopy (TEM), 1621
Transmission electron microscopy (TEM), 1709
Transparent materials, 1221
Transport properties, of Topanol CA, 1581
Triboelectrification, of small polymer particles, 1667
Tritium-labeled estradiol steroids, 2001
Tubular loop reactor, 503
Two-stage soapless emulsion polymerization, 1621

Ultrafiltration, 193, 483
Ultraviolet (UV) curable coatings, 133
Ultraviolet (UV) cure monitoring, 863
Ultraviolet (UV) curing, 1129
Ultraviolet (UV) light irradiation, 2027
Ultraviolet (UV) radiation, 345, 389
Ultraviolet (UV) radiation-induced graft copolymerization, 1567
Ultraviolet (UV) spectroscopy, 573
Uniaxial stretching, 1175
Uniaxially drawn PET, 201
Unidirectional carbon fiber-reinforced polypropylene (CFRPP) composites, 831
Unsaturated polyester resin, 453
UV-autocurable BTDA-based multiacrylate resins, 1901

VA content, 643
Variable volume method, 743
Vinyl photopolymerization, 2139
Vinylidene chloride copolymers, shear degradation, 781
Viscosity ratio, 259
Visible laser-induced polymerization, 931
Volatile diluents, 213
Vrentas–Duda model, 661
Vulcanizates, 1505

Waste problem, 33
Water-soluble inhibitor, 593
Water-soluble oligomers, 593
Water vapor, 1399, 1405
Water vapor permeability, 1399, 1405
Wet spinning, 337
Wide-angle X-ray diffraction (WAXD), 855, 1883
WLF equation, 1991
Wood-based composites, 1875
Wood, steam exploded, 583

X-ray diffraction, 1979
X-ray photoelectron spectroscopy (XPS), 279, 1183, 2015, 2131

Young's modulus, 931, 1901

Ziegler-Natta catalysts, 1029
Zimm–Lundberg clustering functions, 1797

Journal of Applied Polymer Science

Author Index to Volume 51

Abdullah, I. See Ahmad, S., 1357

Acosta, J. L. See Herrero, C. R., 1189

Afanasev, V. A. See Sultankulova, A. S., 241

Ahmad, S.

—; Abdullah, I.; Sulaiman, C. S.; Kohjiya, S.; Yoon, J. R.: Natural Rubber–HDPE Blends with Liquid Natural Rubber as a Compatibilizer. I. Thermal and Mechanical Properties, 1357

Ahn, T. O.

—; Jung, S.-U.; Jeong, H. M.; Lee, S. W.: The Properties of Polyurethanes with Mixed Chain Extenders and Mixed Soft Segments, 43

Albertsson, A.-C.

—; Barenstedt, C.; Karlsson, S.: Degradation of Enhanced Environmentally Degradable Polyethylene in Biological Aqueous Media: Mechanisms During the First Stages, 1097

Ali, S. A. M.

—; Doherty, P. J.; Williams, D. F.: The Mechanisms of Oxidative Degradation of Biomedical Polymers by Free Radicals, 1389

Anand, M.

—; Srivastava, A. K.: Synthesis of Zinc-Containing Epoxy Resin, 203

Angiolini, L.

—; Caretti, D.; Carlini, C.: Polymeric Photoinitiators Bearing Side-Chain Benzoyldiphenylphosphinoxide Moieties for UV Curable Coatings, 133

Aoi, K. See Okada, M., 1035, 1045

Aoki, N.

—; Furuhata, K.-I.; Sakamoto, M.: Cationic Graft Copolymerization of Tetrahydrofuran onto Bromodeoxycellulose, 721

Arends, C. B.: A Phenomenology Based Equation of State for Polymer Melts, 711

Armitage, P. D.

—; De La Cal, J. C.; Asua, J. M.: Improved Methods for Solving Monomer Partitioning in Emulsion Copolymer Systems, 1985

Arola, D. See Jacob, P., 695

Arvanitoyannis, I.

—; Psomiadou, E.: Composites of Anionic (Co) polyamides (Nylon 6/Nylon 12) with Short Glass E-Fibers. Preparation and Properties, 1883

—; Tsatsaroni, E.; Psomiadou, E.; Blanshard, J. M. V.: Interaction of Dyes Used for Foods with Food Packaging Polyester Fibers, 1753

Asai, S.

—; Saruta, U.; Tobita, M.: Soldering Deterioration of Epoxy-Molded IC Packages After Moisture Absorption, 1945

Asua, J. M. See Armitage, P. D., 1985

Athalye, A. R. See Shukla, S. R., 1499, 1567

Atsumi, M. See Okada, M., 1035, 1045

Auer, C.

—; Kalinka, G.; Krause, TH.; Hinrichsen, G.: Crystallization Kinetics of Pure and Fiber-Reinforced Poly(phenylene Sulfide) (PPS), 407

—; See Krause, TH., 399

Azab, M. M.: Thermal Behavior of *p*-Acryloyloxy-tri-*n*-butyltin Benzoate–Acrylonitrile Copolymers, 1937

Bagley, E. B. See Cunningham, R. L., 1311

Bailey, A. L.

—; Kale, L. T.; Tchir, W. J.: Investigation of Ethylene/1-Octene Copolymerization Models by Carbon-13 NMR, 547

Bajaj, P.

—; Goyal, M.; Chavan, R. B.: Thermal Behavior of Methacrylic Acid–Ethyl Acrylate Copolymers, 423

Bajpai, A. K.: Kinetics of Poly(acrylic acid) Adsorption at the Liquid–Glass Interface, 651

Balke, S. T.

—; Mourey, T. H.; Harrison, C. A.: Number-Average Molecular Weight by Size Exclusion Chromatography, 2087

Baranowski, T. See Chang, W. L., 1077

Barenstedt, C. See Albertsson, A.-C., 1097

Barsola, R. See Kaur, I., 329

Baruah, S. D.

—; Laskar, N. C.; Subrahmanyam, B.: Experimental Investigation on High Conversion Free-

Radical Polymerization of Behenyl Acrylate, 1701
Bataille, P. See Iabbadène, A., 503
Begishev, V. P. See Skripov, P. V., 1607
Belfkira, A.
—; Montheard, J.-P.: Solubility Parameters of Poly(4-substituted α-acetoxystyrenes) and Alternating Copolymers of Vinylidene Cyanide with Substituted Styrenes, 1849
Berdasco, J. A. See Betso, S. R., 781
Berg, J. See Jacob, P., 695
Berry, J. P. See Ishak, Z. A. M., 2145
Bertsch, R. J. See Chen, D., 1959
Betso, S. R.
—; Berdasco, J. A.; Debney, M. F.; Murphy, G. L.; Rome, N. P.; Richards, S. G.; Howell, B. A.: Shear Degradation of Vinylidene Chloride Copolymers, 781
Bezot, P.
—; Hesse-Bezot, C.; Elmakoudi, B.; Constans, B.; Faure, D.; Hoornaert, P.: Comparison of Hydrodynamic and Rheological Properties of Dilute Solutions of a Styrene-Hydrogenated Butadiene Copolymer in Aliphatic Solvents by Light Scattering and Viscometric Techniques, 1715
Bhardwaj, A.
—; Bhardwaj, I. S.: ESCA Characterization of Polyacrylonitrile-Based Carbon Fiber Precursors During Its Stabilization Process, 2015
Bhardwaj, I. S. See Bhardwaj, A., 2015
Biswas, M.
—; Roy, A.: Thermal, Stability, Morphological, and Conductivity Characteristics of Polypyrrole Prepared in Aqueous Medium, 1575
Blanc, D. See Zerroukhi, A., 1165
Blanshard, J. M. V. See Arvanitoyannis, I., 1753
Blitz, J. P.
—; McFaddin, D. C.: The Characterization of Short Chain Branching in Polyethylene Using Fourier Transform Infrared Spectroscopy, 13
Bogdanović, V. Ž.
—; Tasić, A. Ž.; Djordjević, B. D.: Importance of Solubility Phenomena During the Separation of the Ethylene–Polyethylene Mixture in the Industrial Low Density Polyethylene Process, 253
Boinon, B. See Zerroukhi, A., 1165
Bonifaci, L.
—; Carnelli, L.; Cori, L.: Determination of Infinite Dilution Diffusion and Activity Coefficients of Solvents in Polystyrene by Inverse Gas Chromatography on a Capillary Column, 1923
Bosnyak, C. P. See Kim, A., 1841
Bosse, F.
—; Eisenberg, A.; Xu, R.; Schreiber, H. P.: IGC Study of Surface Properties of Adsorbed Styrene/Methacrylic Acid Diblock Polymers, 521
Bouaffar, H.
—; Yilmazer, U.; Elbirli, B.: Desorption of Residual Monomer from PVC Resins in a Fluidized Bed Drier, 1119
Brar, A. S.
—; Charan, S.: Reactivity Ratios and Microstructure of Vinyl Acetate–Butyl Methacrylate Copolymers: NMR Study, 669
Bruno, J. C. See Coutinho, F. M. B., 1029
Burdett, K. A. See Gundlach, D. P., 731
Byun, S. W. See Im, S. S., 1221

Cachard, A. See Zerroukhi, A., 1165
Caretti, D. See Angiolini, L., 133
Carlini, C. See Angiolini, L., 133
Carnelli, L. See Bonifaci, L., 1923
Carr, M. E. See Cunningham, R. L., 1311
Caruthers, J. M. See Kim, D., 661
Castille, M. J. See Hazlitt, L. G., 271
Chand, S. See Kalkar, A. K., 1213
Chandra, S. See Kalkar, A. K., 1213
Chang, F.-C. See Chen, S.-H., 955
Chang, H.-M. See Wu, P.-Y., 1005
Chang, S.-J.
—; Tsai, H.-B.: Copolyesters. VII. Thermal Transitions of Poly(butylene terephthalate-*co*-isophthalate-*co*-adipate)s, 999
Chang, W. L.
—; Baranowski, T.; Karalis, T.: Role of Functionality in MDI-Based Elastomer Preparation, 1077
Charan, S. See Brar, A. S., 669
Chavan, R. B. See Bajaj, P., 423
Chen, D.
—; Pascault, J. P.; Bertsch, R. J.; Drake, R. S.; Siebert, A. R.: Synthesis, Characterization, and Properties of Reactive Liquid Rubbers Based on Butadiene–Acrylonitrile Copolymers, 1959
Chen, D.-S.
—; Ma, C.-C. M.; Hsia, H.-C.; Wang, W.-N.; Lin, S.-R.: Preparation and

Characterization of Cryogenic Adhesives. I. Glycidyl-Terminated Polyurethane Resins, 1199
Chen, H. L.
—; Ho, S. H.; Wang, T. H.; Chen, K. M.; Pan, J. P.; Liang, S. M.; Hung, A.: Curl-Free High-Adhesion Polyimide/Copper Laminate, 1647
Chen, H.-L. See Ho, S.-M., 1373; Wang, T.-H., 415
Chen, H. Y. See Xu, M. X., 1207
Chen, J. See Sun, Y.-M., 1797
Chen, K. M. See Chen, H. L., 1647
Chen, K.-M. See Ho, S.-M., 1373 Wang, T.-H., 415
Chen, M.-C. See Ma, S., 1861
Chen, S.-H.
—; Chang, F.-C.: *In Situ* Compatibilized Polymer Blends of Phenoxy and ABS, 955
Chen, T. See Wang, Z., 1533
Chen, X. F. See Tang, H., 1159
Chen, Y.-H.
—; Yang, C.-P.: Coemulsion and Electrodeposition Properties of Mixtures of Cationic Epoxy Resin and Cationic Acrylic Resin Containing Blocked-Isocyanate Groups, 1539
Chen, Z. See Xue, Y., 1353, 1835
Chiang, W.-Y.
—; Lin, W.-T.: Syntheses and Cured Films Properties of UV-Autocurable BTDA-Based Multiacrylate Resins, 1901
Chiu, W.-Y. See Lee, C.-F., 1621
Cho, W.-J. See Ha, C.-S., 1381; Kim, Y., 1453; Park, J.-Y., 1303
Choi, C. H. See Lee, S. M., 1765
Choi, H.-M. See Trask-Morrell, B. J., 769
Choi, O. S.
—; Yuk, S. H.; Lee, H. B.; Jhon, M. S.: Electric-Field Sensitive Polymers: Reversible Bending of Rod-Shaped Polymer Gels in Salt Solutions, 375
Choi, Y.-S.
—; Miyasaka, K.: Structure and Properties of Poly(vinyl alcohol)–Iodine Complex Formed in the Crystal Phase of Poly(vinyl alcohol) Films, 613
Choudhary, V.
—; Pearce, E. M.: Studies on the Thermal and Curing Behavior of Polyimide Blends, 1823
Chowdhury, G.
—; Matsuura, T.; Sourirajan, S.: A Study of Reverse Osmosis Separation and Permeation Rate for Sulfonated Poly(2,6-dimethyl-1,4-phenylene oxide) Membranes in Different Cationic Forms, 1071
Chu, H.-H.
—; Hsu, X.-C.: A Study of Electrostatically Stabilized Poly(methyl methacrylate) Latex, 1653
Chudnovsky, A. See Kim, A., 1841
Chum, S. P. See Sehanobish, K., 887
Chung, D.-J.
—; Ito, Y.; Imanishi, Y.: Preparation of Porous Membranes Grafted with Poly(spiropyran-containing methacrylate) and Photocontrol of Permeability, 2027
Colborn, R. E. See Stein, J., 815
Conio, G. See Focher, B., 583
Constans, B. See Bezot, P., 1715
Cooper, S. L. See Yang, C. Z., 365
Cori, L. See Bonifaci, L., 1923
Cosani, A. See Focher, B., 583
Costa, M. A. S. See Coutinho, F. M. B., 1029
Coutinho, F. M. B.
—; Costa, M. A. S.; Santa Maria, L. C.; Bruno, J. C.: Particle Control of Ziegler-Natta Catalysts Based on $TiCl_3$ for Propylene Polymerization. Effect of Prepolymerization, 1029
Crighton, J. S. See Tsukada, M., 345
Croall, C. I. See Stoakley, D. M., 1479
Croft, B. A. See Sehanobish, K., 887
Cunningham, R. L.
—; Carr, M. E.; Bagley, E. B.; Gordon, S. H.; Greene, R. V.: Hydrophilic Foams Containing Corn Products for Horticultural Use, 1311

Dakov, V. A. See Pashova, V. S., 807
Das, C. K. See Ghosh, M. K., 643; Tripathy, A. R., 245
De Candia, F.
—; Vittoria, V.: Permeability of PEEK to Carbon Dioxide, 2103
De La Cal, J. C. See Armitage, P. D., 1985
De Oliveira, W.
—; Glasser, W. G.: Multiphase Materials with Lignin. XII. Blends of Poly(vinyl Chloride) with Lignin–Caprolactone Copolymers, 563
Debney, M. F. See Betso, S. R., 781
Dellacherie, E. See Huguet, M. L., 1427
Deopura, B. L. See Gupta, A. K., 231
Derosa, T. F.
—; Kaufman, B. J.; Sung, R. L.-D.; Russo, J. M.: Dissolution of Perfluoroalkyl Oligomers in Lubricating Oil for Enhancing Wear Resistance and Fuel Economy, 1339
Desai, M. R. See Shah, C. S., 1505
Djordjević, B. D. See Bogdanović, V. Ž., 253
Doherty, P. J. See Ali, S. A. M., 1389

Drake, R. S. See Chen, D., 1959
Du, F.-S.
—; Zhang, P.; Li, F.-M.: A Polymerizable Photoredox Initiation System for Vinyl Photopolymerization, 2139
Durning, C. J. See Monahan, M. D., 213

Egawa, H. See Kabay, N., 381
Eguiazábal, J. I. See Martínez, J. M., 223
Eisenberg, A. See Bosse, F., 521
Elbirli, B. See Bouaffar, H., 1119
Elliott, N. E. See Liepins, R., 1141
Elmakoudi, B. See Bezot, P., 1715
Endo, R. See Nisizawa, M., 1683
Epstein, M.
—; Shishoo, R. L.: Studies Related to In-Plane Flow Behavior of Elastomer Matrix in Nonwoven Fibrous Structures, 1629
Erhan, S. See Reddy, T. A., 1591
Erman, B. See Wang, S., 145
Eromosele, I. C.: Graft Copolymerization of Acrylonitrile onto Cotton Cellulose by Potassium Permanganate–Thioacetamide Redox System, 1817

Fagerburg, D. R.
—; Van Sickle, D. E.: Reaction Condition Effects in the Melt Preparation of Poly(phenylene sulfide) from *p*-Iodophenyl Disulfide, 989
Fakirov, S. See Wang, S., 145
Farley, J. M.
—; Meka, P.: Heat Sealing of Semicrystalline Polymer Films. III. Effect of Corona Discharge Treatment of LLDPE, 121
Faure, D. See Bezot, P., 1715
Feldman, D.
—; Lacasse, M. A.: Polymer–Filler Interaction in Polyurethane Kraft Lignin Polyblends, 701
Felix, J.
—; Gatenholm, P.; Schreiber, H. P.: Plasma Modification of Cellulose Fibers: Effects on Some Polymer Composite Properties, 285
Flynn, J. H. See Petrović, Z. S., 1087
Focher, B.
—; Marzetti, A.; Conio, G.; Marsano, E.; Cosani, A.; Terbojevich, M.: Fibers from DMAc-LiCl Solutions of Steam Exploded Wood, 583
Földes, E.: Transport of Small Molecules in Polyolefins. III. Diffusion of Topanol CA in Ethylene Polymers, 1581
Fouda, A. See Mok, S., 193
Freddi, G. See Tsukada, M., 345, 619, 823
Friebe, A.
—; Moritz, W.: Influence of Electrolyte on Electrical Properties of Thin Cellulose Acetate Membranes, 625
Frisch, H. L. See Xue, Y., 1353, 1835
Fruitwala, M. See Sanghavi, N. M., 1673
Fu, H.
—; Jia, L.; Xu, J.: Studies on the Sulfonation of Poly(phenylene oxide) (PPO) and Permeation Behavior of Gases and Water Vapor Through Sulfonated PPO Membranes. I. Sulfonation of PPO and Characterization of the Products, 1399
—; Jia, L.; Xu, J.: Studies on the Sulfonation of Poly(Phenylene-Oxide) [PPO] and Permeation Behavior of Gases and Water Vapor Through Sulfonated PPO (SPPO) Membranes. II. Permeation Behavior of Gases and Water Vapor Through Sulfonated PPO Membranes, 1405
Fuad, M. Y. A.
—; Zaini, M. J.; Jamaludin, M.; Ishak, Z. A. M.; Omar, A. K. M.: Determination of Filler Content in Rice Husk Ash and Wood-Based Composites by Thermogravimetric Analysis, 1875
Fujii, N. See Kobayashi, T., 483
Fujita, K. See Nomura, M., 21
Fukuda, S. See Kawabata, N., 33
Funahashi, H. See Kawabata, N., 33
Furuhata, K.-I. See Aoki, N., 721
Furukawa, J.: Blend Rules for Homogenous and Heterogenous Systems, 187

Gao, W. See Xu, M. X., 1207
Gao, X. See Zhou, W., 855
Gardette, J.-L. See Wilhelm, C., 1411
Garg, S. N. See Janarthanan, R., 1175
Gatenholm, P.
—; Mathiasson, A.: Biodegradable Natural Composites II. Synergistic Effects of Processing Cellulose with PHB, 1231
—; See Felix, J., 285
Gebart, B. R.: Critical Parameters for Heat Transfer and Chemical Reactions in Thermosetting Materials, 153
Georgiev, G. S. See Pashova, V. S., 807
German, A. L. See Nöel, L. F. J., 2073
Gevert, T. See Möller, K., 895
Ghosh, M. K.
—; Das, C. K.: Effect of E/P Ratio and VA Content on

Flow Behavior of EPDM and EVA Blends, 643
Gianotti, G.
—; Levi, M.; Turri, S.: Molecular Weight Characterization of Fluoropolyoxyalkylenes by Gel Permeation Chromatography, 972
Gillham, J. K. See Simon, S. L., 1741
Gineste, J.-L.
—; Largueze, C.; Pourcelly, G.: Kinetic Study of Acrylic Monomer Grafting in the Presence of a Polyfunctional Monomer onto Radioperoxided Poly(Ethylene–Tetrafluoroethylene) Copolymer, 63
Glasser, W. G. See De Oliveira, W., 563
Goddard, R. J. See Yang, C. Z., 365
Goel, T. C. See Thangarathinavelv, M., 1347
Goldman, G. See Gou, M. M., 1685
Gordon, S. H. See Cunningham, R. L., 1311
Goto, T. See Tomita, H., 1151
Gotoh, Y. See Tsukada, M., 345
Gou, M. M.
—; Koros, W. J.; Goldman, G.: Dimethylacetamide Sorption Kinetics in a Urethane/Urea/Ether Block Copolymer, 1685
Goyal, M. See Bajaj, P., 423
Gradwell, M. H. S.
—; McGill, W. J.: The Interaction of Sulfenamide Accelerators with Sulfur, ZNO, and Stearic Acid in the Absence of Rubber, 177
—; McGill, W. J.: The Thermal Decomposition of Sulfenamide Accelerators, 169
Greene, R. V. See Cunningham, R. L., 1311
Groboillot, A. See Huguet, M. L., 1427
Gundlach, D. P.
—; Burdett, K. A.: Lower Critical Solution Temperature (LCST) Polymer Solution for Clear/Cloud Glazing Applications, 731
Gupta, A. K.
—; Rana, S. K.; Deopura, B. L.: Crystallization Kinetics of High-Density Polyethylene/Linear Low-Density Polyethylene Blend, 231
Gupta, B.
—; Highfield, J. G.; Scherer, G. G.: Proton-Exchange Membranes by Radiation Grafting of Styrene onto FEP Films. II. Mechanism of Thermal Degradation in Copolymer Membranes, 1659

Ha, C.-S.
—; Kim, Y.; Cho, W.-J.: Fracture Mechanics Investigation on the PP/EPDM/Ionomer Ternary Blends Using *J*-Integral by Locus Method, 1381
—; See Kim, Y., 1453; Park, J.-Y., 1303
Hanhela, P. J.
—; Hook, R. J.; Paul, D. B.: Polysulfide Sealant Compositions. II. Interactions Between Elemental Sulfur and Organosulfur Compounds, 1441
Hara, M. See Higuchi, A., 1735
Harrison, C. A. See Balke, S. T., 2087
Hata, Y. See Kubota, H., 925
Hatada, M. See Kaji, K., 841
Hayase, R.
—; Kihara, N.; Oyasato, N.; Matake, S.; Oba, M.: Positive Photosensitive Polyimides Using Polyamic Acid Esters with Phenol Moieties, 1971
Hayashi, H.
—; Sakai, H.; Matsuzawa, S.: Diffusion of Methyl Esters of Higher Fatty Acid in Polypropylene, 2165
Hazlitt, L. G.
—; Karande, S. V.; Castille, M. J.: A Rheological and Morphological Explanation of the Inherent Blocking Force in LLDPE Blown Films, 271
Heino, M. T.
—; Hietaoja, P. T.; Vainio, T. P.; Seppälä, J. V.: Effect of Viscosity Ratio and Processing Conditions on the Morphology of Blends of Liquid Crystalline Polymer and Polypropylene, 259
Herrero, C. R.
—; Morales, E.; Acosta, J. L.: Compatibilization of Semicrystalline Polymeric Alloys Through Sepiolite Addition, 1189
Hesse-Bezot, C. See Bezot, P., 1715
Hietaoja, P. T. See Heino, M. T., 259
Higazy, A. A. See Zahran, R. R., 581
Highfield, J. G. See Gupta, B., 1659
Higuchi, A.
—; Hara, M.; Yun, K.-S.; Tak, T.-M.: Recognition of Substrates by Membrane Potential of Immobilized Glucose Oxidase Membranes, 1735
Hinrichsen, G. See Auer, C., 407; Krause, TH., 399
Hirahara, H. See Mori, K., 71
Ho, B. P. H. See Roberts, G. D., 1107
Ho, S. H. See Chen, H. L., 1647
Ho, S.-M.
—; Wang, T.-H.; Chen, H.-L.; Chen, K.-M.; Lian, S.-M.;

Hung, A.: Metallization of Polyimide Film by Wet Process, 1373
—; See Wang, T.-H., 415
Ho, T.-H.
—; Wang, C.-S.: Low-Stress Encapsulants by Vinylsiloxane Modification, 2047
Höcker, H. See Riedel, J.-H., 573
Hook, R. J. See Hanhela, P. J., 1441
Hoornaert, P. See Bezot, P., 1715
Horie, N. See Ikeda, I., 1931
Howell, B. A. See Betso, S. R., 781
Hoyle, C. E. See Rufus, I. B., 1549
Hsia, H.-C. See Chen, D.-S., 1199
Hsiao, S.-H. See Yang, C.-P., 2063
Hsieh, Y.-L. See Timm, D. A., 1291
Hsu, X.-C. See Chu, H.-H., 1653
Hu, D. S.-G.
—; Liu, H.-J.: Structural Analysis and Degradation Behavior in Polyethylene Glycol/Poly(L-Lactide) Copolymers, 473
Hu, P. See Qin, J., 1433
Huang, M.-R. See Li, X.-G., 743
Huang, Y.: Thermotropic Behavior of Hydroxyethyl Cellulose Acetate, 1979
Hubbard, K. M. See Liepins, R., 1141
Huguet, M. L.
—; Groboillot, A.; Neufeld, R. J.; Poncelet, D.; Dellacherie, E.: Hemoglobin Encapsulation in Chitosan/Calcium Alginate Beads, 1427
Hung, A. See Chen, H. L., 1647; Ho, S.-M., 1373; Wang, T.-H., 415
Hüttinger, K. J.
—; Krekel, G.; Zielke, U.: Evidence for Chemical Bond Formation between Surface Treated Carbon Fibres and High Temperature Thermoplastics, 737
Hyon, S.-H. See Tsuji, H., 337

Iabbadène, A.
—; Bataille, P.: Emulsion Polymerization of Vinyl Acetate in a Tubular Loop Reactor, 503
Ichijo, H. See Moe, S., 1771
Ikada, Y. See Tsuji, H., 337
Ikeda, I.
—; Horie, N.; Suzuki, K.: Synthesis of Graft Polyethers by Ring-Opening Copolymerization of Epoxy-Terminated Poly(ethylene glycol) with Epoxides, 1931
Im, S. S.
—; Byun, S. W.: Preparation and Properties of Transparent and Conducting Nylon 6-Based Composite Films, 1221
Imanishi, Y. See Chung, D.-J., 2027
Inagaki, N.
—; Tasaka, S.; Suzuki, Y.: Surface Chlorination of Polypropylene Film by $CHCl_3$ Plasma, 2131
Ishag, A.
—; Peacock, N.: The Rigidity Modulus of Modified Cotton Fibers (Note), 967
Ishak, Z. A. M.
—; Berry, J. P.: Hygrothermal Aging Studies of Short Carbon Fiber Reinforced Nylon 6.6, 2145
—; See Fuad, M. Y. A., 1875
Ishikawa, H. See Tsukada, M., 619
Ishikawa, S.: Microphase Separation and Crystallization of Crystalline–Amorphous Type Block Copolymer. VI. Crystalline Part in Crystalline Domain, 1709
Iso, M. See Omi, S., 1, 1239
Ito, S. See Okada, M., 1035, 1045
Ito, Y. See Chung, D.-J., 2027
Iwabuchi, A. See Mori, K., 71
Iwamoto, T. See Miyata, T., 2007
Iyer, R. See Kiran, E., 353

Jabarin, S. A. See Lofgren, E. A., 1251
Jacob, P.
—; Arola, D.; Berg, J.: The Role of Steric Effects in the Adsorption of Chemically Similar Probes to a Poly(methyl methacrylate) Surface, 695
Jahn, R. K. See Liepins, R., 1141
Jamaludin, M. See Fuad, M. Y. A., 1875
Jamieson, A. See Maier, T., 1053
Janarthanan, R.
—; Garg, S. N.; Misra, A.: Morphological Studies on Extruded Films and Filaments of Polypropylene, 1175
Jawhari, T.
—; Quintanilla, L.; Pastor, J. M.: A Comparison of Specular Reflection and PA-FTIR Techniques in the Analysis of Annealed Injection-Molded Polyamide 6,6, 463
Jeong, H. M. See Ahn, T. O., 43; Kim, S. J., 2187
Jhon, M. S. See Choi, O. S., 375
Ji, Z. M. See Liu, Y. Q., 2035
Jia, L. See Fu, H., 1399, 1405
Jo, W. H.
—; Kim, H. J.; Kang, Y. S.: Separation of Water/Ethanol Mixture Through Poly(acrylonitrile-*co*-Acrylic Acid)/Poly(ethylene Oxide) Membranes by Pervaporation, 529
Jog, J. P. See Shingankuli, V. L., 1463
Jung, S.-U. See Ahn, T. O., 43

Kabay, N.
—; Egawa, H.: Preparation and Characterization of

Amidoxime Resins Based on Poly(Acrylonitrile-*co*-Vinylidene Chloride-[cf2]co[cf1]-Divinylbenzene), 381
Kahraman, R. See Tuncel, A., 1485
Kaji, K.
—; Yoshizawa, I.; Kohara, C.; Komai, K.; Hatada, M.: Preparation of Flame-Retardant Polyethylene Foam of Open-Cell Type by Radiation Grafting of Vinyl Phosphonate Oligomer, 841
Kale, L. T. See Bailey, A. L., 547
Kalinka, G. See Auer, C., 407; Krause, TH., 399
Kalkar, A. K.
—; Kundagol, S.; Chand, S.; Chandra, S.: Effect of Chemical Doping on the Electrical Conductivity of Poly(2,6-dimethyl-1,4-phenylene oxide), 1213
Kamiyama, M.
—; Maeda, M.; Okutani, H.; Koyama, K.; Matsuda, H.; Sano, Y.: Effect of Functional Groups on the Triboelectric Charging Property of Polymer Particles, 1667
Kanaya, K.
—; Takahashi, S.: Decomposition of Polyurethane Foams by Alkanolamines, 675
Kandeil, A. Y. See Zahran, R. R., 581
Kaneko, K. See Omi, S., 1239
Kang, T.-K. See Kim, Y., 1453
Kang, Y. S. See Jo, W. H., 529
Kao, C. I. See Sehanobish, K., 887
Karalis, T. See Chang, W. L., 1077
Karande, S. V. See Hazlitt, L. G., 271
Karasawa, K.-I. See Yamaura, K., 2041
Kariya, A. See Matsuyama, H., 689
Karlsson, S. See Albertsson, A.-C., 1097
Kasai, N. See Tsukada, M., 619
Kassem, M. E. See Zahran, R. R., 581
Katakai, R. See Kubota, H., 925
Katami, K. See Omi, S., 1
Kato, H. See Tsukada, M., 619
Kaufman, B. J. See Derosa, T. F., 1339
Kaur, I.
—; Barsola, R.; Misra, B. N.: Radiochemical Graft Copolymerization of Methacrylonitrile and Binary Mixture of Methacrylonitrile with 4-Vinylpyridine onto Isotactic Polypropylene Fiber, 329
Kawabata, N.
—; Uchihori, D.; Fukuda, S.; Funahashi, H.: Digestion of Crosslinked Poly(vinylpyridinium Halide) by Activated Sludge, and Application to Make Poly(methyl Methacrylate) Biodegradable by Incorporation of a Pyridinium Group into the Main Chain, 33
Kenny, J. M.: Determination of Autocatalytic Kinetic Model Parameters Describing Thermoset Cure (Note), 761
Kihara, N. See Hayase, R., 1971
Kim, A.
—; Bosnyak, C. P.; Chudnovsky, A.: Effects of Weathering, Scale, and Rate of Loading on Polycarbonate Fracture Toughness, 1841
Kim, B. K. See Kim, S. J., 2187; Lee, S. M., 1765
Kim, D.
—; Caruthers, J. M.; Peppas, N. A.; Von Meerwall, E.: Self- and Mutual-Diffusion Coefficients in the Dodecane/Polystyrene System, 661
Kim, H. J. See Jo, W. H., 529
Kim, S. See Mori, K., 71
Kim, S. J.
—; Kim, B. K.; Jeong, H. M.: Dynamic Mechanical Properties of Poly(vinyl chloride) and Polyurethane Carboxylate Blends, 2187
Kim, Y.
—; Ha, C.-S.; Kang, T.-K.; Kim, Y.; Cho, W.-J.: Rheological Properties, Tensile Properties, and Morphology of PP/EPDM/Ionomer Ternary Blends, 1453
—; See Ha, C.-S., 1381; Kim, Y., 1453
Kimura, Y. See Tsuji, H., 337
King, J. A. See Stein, J., 815
Kiran, E.
—; Iyer, R.: Cure Behavior of Paper–Phenolic Composite Systems: Kinetic Modeling, 353
Kitao, T. See Tsuji, H., 337; Yoshikawa, M., 1021
Kitoh, S.
—; Suzuki, K.; Kiyohara, T.; Kurita, K.: Adhesive Monomers to Dental Ceramics. II. Methacrylamide Derivatives Containing Carboxyl and Phenyl Groups for Effective Adhesion of Calcium Metaphosphate Ceramic, 2021
Kiyohara, T. See Kitoh, S., 2021
Kjellqvist, K.
—; Rassing, J.; Wesslén, B.: Surface Reactive Acetal Functional Waterborne Microparticles, 1063
Kobayashi, T.
—; Saitoh, H.; Fujii, N.: Porous Polydimethylsiloxane Membranes Treated with Aminopropyltrimethoxy-silane, 483
Kohara, C. See Kaji, K., 841
Kohjiya, S. See Ahmad, S., 1357
Kojima, Y.
—; Matsuoka, T.; Takahashi,

H.; Kurauchi, T.: Crystallization of Nylon 6–Clay Hybrid by Annealing Under Elevated Pressure, 683
Komai, K. See Kaji, K., 841
Koros, W. J. See Gou, M. M., 1685
Koyama, K. See Kamiyama, M., 1667
Krause, TH.
—; Kalinka, G.; Auer, C.; Hinrichsen, G.: Computer Simulation of Crystallization Kinetics in Fiber-Reinforced Composites, 399
—; See Auer, C., 407
Krekel, G. See Hüttinger, K. J., 737
Kubota, H.
—; Nagaoka, N.; Katakai, R.; Yoshida, M.; Omichi, H.; Hata, Y.: Temperature-Responsive Characteristics of *N*-Isopropylacrylamide-Grafted Polymer Films Prepared by Photografting, 925
Kumar, M. R.
—; Reddy, R. R.; Rao, T. V. R.; Sharma, B. K.: Thermoacoustical Parameters of Polymers at Low Temperatures, 1805
Kumazawa, H.
—; Wang, J.-S.; Naito, K.; Messaoudi, B.; Sada, E.: Gas Transport in Polymer Membrane at Temperatures Above and Below Glass Transition Point, 1015
Kundagol, S. See Kalkar, A. K., 1213
Kuno, S.-I. See Yoshikawa, M., 1021
Kurauchi, T. See Kojima, Y., 683
Kurita, K. See Kitoh, S., 2021
Kwon, H. K. See Min, K. E., 1521

Lacasse, M. A. See Feldman, D., 701
Lai, C.-C. See Lee, W.-F., 2175
Lan, T. See Yang, Y., 81
Largueze, C. See Gineste, J.-L., 63
Laskar, N. C. See Baruah, S. D., 1701
Lataillade, J. L. See Sahraoui, S., 1527
Lebugle, A. See Rouzies, P., 279, 1183
Lee, C.-F.
—; Lin, K.-R.; Chiu, W.-Y.: Kinetics Studies of Two-Stage Soapless Emulsion Polymerization of Butyl Acrylate and Methyl Methacrylate, 1621
Lee, H. B. See Choi, O. S., 375
Lee, K. I.: Electron Beam Chemistry of Polyvinylpyridinium Salts, 1781
Lee, S. M.
—; Choi, C. H.; Kim, B. K.: Effect of Matrix SAN in ABS/PMMA Blends, 1765
Lee, S. W. See Ahn, T. O., 43
Lee, W.-F.
—; Lai, C.-C.: Studies on Graft Copolymerization of 2-Hydroxyethyl Methacrylate onto Poly(vinyl chloride), 2175
Lee, Y. M. See Moon, Y. D., 945
Lenka, S. See Rath, D. K., 1679
Lettko, K. X. See Stein, J., 815
Levi, M. See Gianotti, G., 972
Li, F.-M. See Du, F.-S., 2139
Li, S. See Yang, Y., 81
Li, S. H. See Tang, H., 1159
Li, X.-G.
—; Huang, M.-R.; Lin, G.; Yang, P.-C.: Composition and Temperature Effects on Air Separation Through Liquid Crystalline Alkyl Cellulose Membranes, 743
—; Zhou, Z.-L.; Wu, X.-G.; Sun, T.: Structure and Properties of Liquid Crystalline Naphthalenediol Copolyesters, 1913
Lian, S.-M. See Ho, S.-M., 1373
Liang, S. M. See Chen, H. L., 1647; Wang, T.-H., 415
Liepins, R.
—; Jahn, R. K.; Elliott, N. E.; Hubbard, K. M.: Magnetic Field Processing of Polymers. I. Hydroxypropyl Cellulose, 1141
Lim, J. C. See Min, K. E., 1521
Lin, C.-C. See Shinn, T.-H., 1727
Lin, G. See Li, X.-G., 743
Lin, J.-S. See Lin, K.-F., 513
Lin, K.-F.
—; Lin, J.-S.: Allylamine-Adducted Bismaleimide Resins. II. Their Physical/Mechanical Properties and Morphology, 513
Lin, K.-R. See Lee, C.-F., 1621
Lin, S.-R. See Chen, D.-S., 1199
Lin, W.-T. See Chiang, W.-Y., 1901
Lin, Y.-S. See Yang, C.-P., 2063
Lipchak, A. I. See Skripov, P. V., 1607
Lipp-Symonowicz, B. See Urbanczyk, G. W., 2191
Liu, G.
—; Vancso, G. J.: Melt Viscosity of Poly-diethylene glycol-*co*-succinic acid): Molar Mass Dependence in the Nonentangled Regime, 1991
Liu, H.-J. See Hu, D. S.-G., 473
Liu, T.-J. See Wu, P.-Y., 1005
Liu, Y. Q.
—; Zhang, J. B.; Wu, P. J.; Zhu, D. B.; Sun, Z. J.; Ji, Z. M.; Yang, S. Z.; Wu, P. H.: Preparation of Superconducting Edge Junctions Using Polymeric Langmuir–Blodgett Films as Barrier Layers, 2035
Liu, Z. Y. See Tang, H., 1159
Lizymol, P. P.
—; Thomas, S.: Miscibility Studies of Polymer Blends by Viscometry Methods, 635
Lofgren, E. A.
—; Jabarin, S. A.: Polarized Internal Reflectance Spectroscopic Studies of

Oriented Poly(ethylene terephthalate), 1251
Lorkowski, H.-J. See Reinhardt, M., 297
Lou, X. See Zhang, R., 51
Lou, Y. X. See Tang, H., 1159
Lu, F. See Zhou, W., 855
Lu, Y. X. See Xu, M. X., 1207

Ma, C.-C. M. See Chen, D.-S., 1199
Ma, D. See Zhang, R., 51
Ma, S.
—; Chen, M.-C.; Wang, S.-P.: Carbon-13 NMR Investigation of Spin-Lattice Relaxation Mechanism of Poly(4-methyl-1-pentene), 1861
Macknight, W. J. See Petrović, Z. S., 1087
Maeda, M. See Kamiyama, M., 1667
Maehara, T. See Yamamoto, K., 555, 749, 755
Mai, K.
—; Zhang, M.; Zeng, H.; Qi, S.: Double Melting Phenomena of Polyphenylene Sulfide and Its Blends, 57
Maier, T.
—; Jamieson, A.; Simha, R.: Phase Equilibria in SBR/Polybutadiene Elastomer Blends: Application of Flory–Huggins Theory, 1053
Makuuchi, K. See Nho, Y. C., 1269
Manjari, R.
—; Pandureng, L. P.; Somasundaran, U. I.; Sriram, T.: Structure–Property Relationship of HTPB-Based Propellants. III. Optimization Trials with Varying Levels of Diol–Triol Contents, 435
Marcinko, J. J.
—; Parker, A. A.; Rinaldi, P. L.; Ritchey, W. M.: Application of NMR Cross-Polarization/Modulus Correlations to a Series of Polyurethane Elastomers, 1777
Mark, J. E. See Wang, S., 145
Marsano, E. See Focher, B., 583
Martakis, N.
—; Niaounakis, M.; Pissimissis, D.: Gamma-Sterilization Effects and Influence of the Molecular Weight Distribution on the Postirradiation Resistance of Polypropylene for Medical Devices, 313
Martel, B.
—; Morcellet, M.: Sorption of Aromatic Compounds in Water Using Polymer Sorbents Containing Amino Groups, 443
Martin, L. K. See Yang, C. Q., 389
Martínez, J. M.
—; Nazábal, J.; Eguiazábal, J. I.: Poly(ethylene terephthalate)/Polyarylate Blends: Mixing and Interchange Reactions in Injection Molding, 223
Marzetti, A. See Focher, B., 583
Mascia, L.
—; Zitouni, F.; Tonelli, C.: Miscibilization of Telechelic Fluoroalkeneoxide Oligomers in Epoxy Resins and Effects on Morphology and Physical Properties, 905
Matake, S. See Hayase, R., 1971
Mathiasson, A. See Gatenholm, P., 1231
Matsuda, H. See Kamiyama, M., 1667; Takechi, S., 537
Matsuoka, T. See Kojima, Y., 683
Matsuura, T. See Chowdhury, G., 1071; Mok, S., 193
Matsuyama, H.
—; Kariya, A.; Teramoto, M.: Effect of Siloxane Chain Lengths of Monomers on Characteristics of Pervaporation Membranes Prepared by Plasma Polymerization, 689
Matsuzawa, S. See Hayashi, H., 2165; Yamaura, K., 2041
McFaddin, D. C. See Blitz, J. P., 13
McGill, W. J. See Gradwell, M. H. S., 169, 177
Meka, P.
—; Stehling, F. C.: Heat Sealing of Semicrystalline Polymer Films. I. Calculation and Measurement of Interfacial Temperatures: Effect of Process Variables on Seal Properties, 89
—; See Farley, J. M., 121; Stehling, F. C., 105
Menon, A. R. R.
—; Pillai, C. K. S.; Nando, G. B.: Chemical Crosslink Density and Network Structure of Natural Rubber Vulcanizates Modified with Phosphorylated Cardanol Prepolymer, 2157
Messaoudi, B. See Kumazawa, H., 1015
Min, K. E.
—; Lim, J. C.; Seo, W. Y.; Kwon, H. K.: Plasticizer Effect on Miscibility of *isotactic* Poly(Methyl Methacrylate)-Poly(Vinyl Chloride) Blends (Note), 1521
Minoura, N. See Tsukada, M., 823
Misra, A. See Janarthanan, R., 1175
Misra, B. N. See Kaur, I., 329
Mitani, K. See Yamamoto, K., 555, 749, 755
Miyasaka, K. See Choi, Y.-S., 613
Miyata, T.
—; Iwamoto, T.; Uragami, T.: Characteristics of Permeation and Separation for Propanol Isomers through Poly(vinyl alcohol) Membranes Containing Cyclodextrin, 2007
Mizoguchi, K. See Yamasaki, A., 2057

Mizutani, Y. See Yamamoto, K., 555, 749, 755
Moe, S.
—; Skjåk-Brkæ, G.; Smidsrød, O.; Ichijo, H.: Calcium Alginate Gel Fibers: Influence of Alginate Source and Gel Structure on Fiber Strength, 1771
Mok, S.
—; Worsfold, D. J.; Fouda, A.; Matsuura, T.: Surface Modification of Polyethersulfone Hollow-Fiber Membranes by γ-Ray Irradiation, 193
Möller, K.
—; Gevert, T.: An FTIR Solid-State Analysis of the Diffusion of Hindered Phenols in Low-Density Polyethylene (LDPE): The Effect of Molecular Size on the Diffusion Coefficient, 895
Monahan, M. D.
—; Durning, C. J.: A Tensile Rheometer for Solid Polymers Containing Volatile Diluents, 213
Montheard, J. P. See Zerroukhi, A., 1165
Montheard, J.-P. See Belfkira, A., 1849
Moon, Y. D.
—; Lee, Y. M.: Dynamics of Solvent Diffusion in an Aromatic Polyimide, 945
Morales, E. See Herrero, C. R., 1189
Morcellet, M. See Martel, B., 443
Mori, K.
—; Hirahara, H.; Oishi, Y.; Kim, S.; Tamura, K.; Iwabuchi, A.: Surface Treatment of Fluorinated Rubber with Triazine Thiols and Their Properties, 71
Moritz, W. See Friebe, A., 625
Mourey, T. H. See Balke, S. T., 2087
Mukhopadhyay, D. See Sengupta, P. K., 831
Murphy, G. L. See Betso, S. R., 781
Murugesan, T. See Panduranga Rao, S., 765

Nadkarni, V. M. See Shingankuli, V. L., 1463
Nagaoka, N. See Kubota, H., 925
Naito, K. See Kumazawa, H., 1015
Namboodiri, C. S. S.
—; Tripathy, D. K.: Separability Behavior in Viscoelastic Properties of EPDM Gum Vulcanizate, 1365
Nando, G. B. See Menon, A. R. R., 2157
Nayak, P. L. See Rath, D. K., 1679
Nazábal, J. See Martínez, J. M., 223
Neckers, D. C. See Torres-Filho, A., 931
Neufeld, R. J. See Huguet, M. L., 1427
Nho, Y. C.
—; Sugo, T.; Tsuneda, S.; Makuuchi, K.: Radiation-Induced Graft Polymerization of Vinyl BenzyltrimethylAmmonium Chloride onto Polyethylene Film, 1269
Niaounakis, M. See Martakis, N., 313
Nisizawa, M.
—; Endo, R.: Radiation-Induced Sol–Gel Transition of Protein: Effects of Radiation and Metal Ions on Melting Behavior (Note), 1683
Nöel, L. F. J.
—; Van Zon, J. M. A. M.; German, A. L.: Monomer-to-Water Ratios as a Tool in Controlling Emulsion Copolymer Composition: The Methyl Acrylate–Indene System, 2073
Nomura, M.
—; Suzuki, H.; Tokunaga, H.; Fujita, K.: Mass Transfer Effects in Emulsion Polymerization Systems. I. Diffusional Behavior of Chain Transfer Agents in the Emulsion Polymerization of Styrene, 21
Novak, G. E. See Wyzgoski, M. G., 873

Oba, M. See Hayase, R., 1971
O'Connell, E. M. See Yang, C. Z., 365
Oishi, Y. See Mori, K., 71
Okada, M.
—; Ito, S.; Aoi, K.; Atsumi, M.: Biodegradability of Polyesters Having Tetrahydropyran Rings in Their Backbones. II., 1045
—; Ito, S.; Aoi, K.; Atsumi, M.: Spontaneous Hydrolytic Degradability of Copolyesters Having Tetrahydropyran Rings in Their Backbones. I., 1035
Okutani, H. See Kamiyama, M., 1667
Omar, A. K. M. See Fuad, M. Y. A., 1875
Omi, S.
—; Kaneko, K.; Takesue, M.; Tsujimura, H.; Satoh, A.; Iso, M.: Synthesis of NAD Polystyrene Microspheres and Application as a Carrier of Glucoamyrase Immobilization, 1239
—; Katami, K.; Yamamoto, A.; Iso, M.: Synthesis of Polymeric Microspheres Employing SPG Emulsification Technique, 1
Omichi, H. See Kubota, H., 925
Oyasato, N. See Hayase, R., 1971

Paladhi, R.
—; Singh, R. P.: Miscibility and Interaction Studies on Some Aqueous Polymer Blend Solutions by Ultrasonic and Rheological Techniques, 1559

Pan, J. P. See Chen, H. L., 1647
Panduranga Rao, S.
—; Murugesan, T.; Raghavan, K. V.: Hysteresis Phenomena in Swelling of Collagen Biomatrix in Animal Hides (Note), 765
Pandureng, L. P. See Manjari, R., 435
Pandya, M. V. See Shah, C. S., 1505
Park, D.-J. See Park, J.-Y., 1303
Park, J.-Y.
—; Park, D.-J.; Ha, C.-S.; Cho, W.-J.: Synthesis and Properties of 2-Vinylnaphthalene–EPDM–Methyl Methacrylate Graft Copolymer, 1303
Parker, A. A. See Marcinko, J. J., 1777
Pascault, J. P. See Chen, D., 1959
Pashova, V. S.
—; Georgiev, G. S.; Dakov, V. A.: Photoinitiated Graft Copolymerization of Glycidyl Methacrylate and 2-Hydroxyethyl Methacrylate onto Polyacrylonitrile and Application of the Synthesized Graft Copolymers in Penicillin–Amidase Immobilization, 807
Pastor, J. M. See Jawhari, T., 463
Patel, C. P. See Shah, S. B., 1421
Patel, R. M. See Sehanobish, K., 887
Patni, M. J. See Shah, C. S., 1505
Paul, D. B. See Hanhela, P. J., 1441
Pavlov, P. A. See Skripov, P. V., 1607
Peacock, N. See Ishag, A., 967
Pearce, E. M. See Choudhary, V., 1823
Peiffer, D. G.
—; Rabeony, M.: Physical Properties of Model Graft Copolymers and Their Use as Blend Compatibilizers, 1283
Peng, T. See Xu, M. X., 1207
Peppas, N. A. See Kim, D., 661
Pethrick, R. A. See Radhakrishnan, S., 863
Petrović, Z. S.
—; Zavargo, Z.; Flynn, J. H.; Macknight, W. J.: Thermal Degradation of Segmented Polyurethanes, 1087
Pfeiffer, K. See Reinhardt, M., 297
Piao, J. H. See Tang, H., 1159
Pigeon, M. G.
—; Rudin, A.: Branching Measurement by Analytical TREF: A Fully Quantitative Technique, 303
Pillai, C. K. S. See Menon, A. R. R., 2157
Piskin, E. See Tuncel, A., 1485
Pissimissis, D. See Martakis, N., 313
Pizzi, A.
—; Stephanou, A.: A ^{13}C NMR Study of Polyflavonoid Tannin Adhesive Intermediates. I. Noncolloidal Performance Determining Rearrangements, 2109
—; Stephanou, A.: A ^{13}C NMR Study of Polyflavonoid Tannin Adhesive Intermediates. II. Colloidal State Reactions, 2125
—; Stephanou, A.: Completion of Alkaline Cure Acceleration of Phenol–Formaldehyde Resins: Acceleration by Organic Anhydrides (Note), 1351
—; See Truter, P., 1319
Poehlein, G. W. See Wang, S.-T., 593
Poncelet, D. See Huguet, M. L., 1427
Potgieter, H. F.
—; Sanderson, R. D.: NG-Migration into Double-Base Inhibitors. II. Diffusion, 939
Pourcelly, G. See Gineste, J.-L., 63
Psomiadou, E. See Arvanitoyannis, I., 1753, 1883
Puchinskis, S. E. See Skripov, P. V., 1607

Qi, S. See Mai, K., 57
Qian, B. See Qin, J., 1433
Qin, J.
—; Hu, P.; Zhao, J.; Wu, Z.; Qian, B.: The Method of Measuring Macromolecular Entanglements of Polymers Using Swelling Differential Scanning Calorimetry (DSC), 1433
Quddos, A. See Zulfiqar, M., 2001
Quintanilla, L. See Jawhari, T., 463

Rabeony, M. See Peiffer, D. G., 1283
Radhakrishnan, G. See Ramaraj, B., 979
Radhakrishnan, S.
—; Pethrick, R. A.: Continuous UV Cure Monitoring and Dielectric Properties of Photocross-linked Epoxy–Acrylate Resins, 863
Raghavan, K. V. See Panduranga Rao, S., 765
Ramaraj, B.
—; Radhakrishnan, G.: Hydrogel Capsules for Sustained Drug Release, 979
Ramis, X. See Salla, J. M., 453
Rana, S. K. See Gupta, A. K., 231
Rånby, B. See Shi, W., 1129
Rao, T. V. R. See Kumar, M. R., 1805
Rassing, J. See Kjellqvist, K., 1063
Rath, D. K.
—; Nayak, P. L.; Lenka, S.: Synthetic Resins. XIV. Chelation Ion Exchange Properties of 2,4-Dinitro Phenylhydrazone of 2-Hydroxy Acetophenone–

Formaldehyde Resin (Note), 1679
Reddy, R. R. See Kumar, M. R., 1805
Reddy, T. A.
—; Erhan, S.: A Study of Coating Properties of Novel Poly(Amino-Quinone)s Prepared From 2-Methylbenzoquinone and 2-Phenylbenzoquinone, 1591
Reinhardt, M.
—; Pfeiffer, K.; Lorkowski, H.-J.: Polymer Dissolution. I. On the Dissolution Behavior of Copolymers of Methyl Methacrylate and Methacrylic Acid, 297
Richards, S. G. See Betso, S. R., 781
Rickle, G. K.: The Synthesis and Gas-Transport Properties of Some Hydrosilylation Condensation Polymers, 605
Riedel, J.-H.
—; Höcker, H.: Preparation and Characterization of Polymers with Pending UV-Absorber Groups. I. Polymers Based on Polydimethylsiloxane, 573
Rinaldi, P. L. See Marcinko, J. J., 1777
Ritchey, W. M. See Marcinko, J. J., 1777
Roberts, G. D.
—; Ho, B. P. H.; Wallace, J. F.: Effects of Thermal and Mechanical Fatigue on Flexural Strength of G40-600/PMR-15 Cross-Ply Laminates, 1107
Rome, N. P. See Betso, S. R., 781
Rouzies, P.
—; Lebugle, A.: XPS Study of Dimethylolurea Polymers and Hollow Fibers Modified by These Polymers. I. XPS Study of Dimethylolurea Polymers, 279
—; Lebugle, A.: XPS Study of Dimethylolurea Polymers and Hollow Fibres Modified by these Polymers. II. XPS Study of Hollow Fibres Modified by Dimethylolurea Polymers, 1183
Roy, A. See Biswas, M., 1575
Rudin, A. See Pigeon, M. G., 303
Rufus, I. B.
—; Shah, H.; Hoyle, C. E.: Identification of Fluorescent Products Produced by the Thermal Treatment of Bisphenol-A-Based Polycarbonate, 1549
Russo, J. M. See Derosa, T. F., 1339

Sada, E. See Kumazawa, H., 1015
Sahraoui, S.
—; Lataillade, J. L.: Deformation and Fracture of PMMA at High Rates of Loading, 1527
Saitoh, H. See Kobayashi, T., 483
Sakai, H. See Hayashi, H., 2165
Sakamoto, M. See Aoki, N., 721
Sakurai, H. See Tamai, H., 1277
Salla, J. M.
—; Ramis, X.: A Kinetic Study of the Effect of Three Catalytic Systems on the Curing of an Unsaturated Polyester Resin, 453
Sanderson, R. D. See Potgieter, H. F., 939
Sanghavi, N. M.
—; Fruitwala, M.: Synthesis and Evaluation of Films of Methacrylates (Note), 1673
Sano, Y. See Kamiyama, M., 1667
Santa Maria, L. C. See Coutinho, F. M. B., 1029
Saruta, U. See Asai, S., 1945
Sarybaeva, R. I. See Sultankulova, A. S., 241
Satoh, A. See Omi, S., 1239
Scherer, G. G. See Gupta, B., 1659
Scherzer, T.: Characterization of Diol Modified Epoxy Resins by Near- and Mid-Infrared Spectroscopy, 491
Schreiber, H. P. See Bosse, F., 521; Felix, J., 285
Sehanobish, K.
—; Patel, R. M.; Croft, B. A.; Chum, S. P.; Kao, C. I.: Effect of Chain Microstructure on Modulus of Ethylene–α-Olefin Copolymers, 887
Sengupta, P. K.
—; Mukhopadhyay, D.: A Dynamic Mechanical Study on Unidirectional Carbon Fiber-Reinforced Polypropylene Composites, 831
Seo, W. Y. See Min, K. E., 1521
Seppälä, J. V. See Heino, M. T., 259
Shah, C. S.
—; Patni, M. J.; Desai, M. R.; Pandya, M. V.: High-Energy Radiation-Resistant Elastomeric Vulcanizates. I. Chlorosulfonated Polyethylene, 1505
Shah, H. See Rufus, I. B., 1549
Shah, S. B.
—; Patel, C. P.; Trivedi, H. C.: Fenton's Reagent-Initiated Graft Copolymerization of Acrylonitrile onto Sodium Alginate, 1421
Sharma, B. K. See Kumar, M. R., 1805
Shi, W.
—; Rånby, B.: UV Curing of Composites Based on Modified Unsaturated Polyester, 1129
Shingankuli, V. L.
—; Jog, J. P.; Nadkarni, V. M.: Thermal and Crystallization Behavior of Engineering Polyblends. II. Unfilled Polyphenylene Sulfide with Poly(ethylene terephthalate), 1463
Shinn, T.-H.
—; Lin, C.-C.: Studies on Co[Poly(Ethylene Terephthalate-

Oxybenzoate)] Thermotropic Copolyester (IV) Thermal History by Differential Scanning Calorimetry, 1727
Shiozaki, H. See Tsukada, M., 345
Shishoo, R. L. See Epstein, M., 1629
Shukla, S. R.
—; Athalye, A. R.: Photoinduced Graft Copolymerization of 2-Hydroxyethyl Methacrylate on Cotton Cellulose in the Presence of Triethyleneglycol Dimethacrylate, 1499
—; Athalye, A. R.: Ultraviolet Radiation-Induced Graft Copolymerization of 2-Hydroxyethyl Methacrylate onto Polypropylene, 1567
Siebert, A. R. See Chen, D., 1959
Simha, R. See Maier, T., 1053
Simon, S. L.
—; Gillham, J. K.: Conversion–Temperature–Property Diagram for a Liquid Dicyanate Ester/High-T_g Polycyanurate Thermosetting System, 1741
Singh, R. P. See Paladhi, R., 1559
Skjåk-Brkæ, G. See Moe, S., 1771
Skripov, P. V.
—; Puchinskis, S. E.; Begishev, V. P.; Lipchak, A. I.; Pavlov, P. A.: Heat Pulse Monitoring of Curing and Polymer–Gas Systems, 1607
Smidsrød, O. See Moe, S., 1771
Somasundaran, U. I. See Manjari, R., 435
Sourirajan, S. See Chowdhury, G., 1071
Sriram, T. See Manjari, R., 435
Srivastava, A. K. See Anand, M., 203
St. Clair, A. K. See Stoakley, D. M., 1479
Stehling, F. C.
—; Meka, P.: Heat Sealing of Semicrystalline Polymer Films. II. Effect of Melting Distribution on Heat-Sealing Behavior of Polyolefins, 105
—; See Meka, P., 89
Stein, J.
—; Lettko, K. X.; King, J. A.; Colborn, R. E.: New Routes to Phenylsilicones, 815
Stephanou, A. See Pizzi, A., 1351, 2109, 2125
Stoakley, D. M.
—; St. Clair, A. K.; Croall, C. I.: Low Dielectric, Fluorinated Polyimide Copolymers, 1479
Subrahmanyam, B. See Baruah, S. D., 1701
Sugo, T. See Nho, Y. C., 1269
Sulaiman, C. S. See Ahmad, S., 1357
Sultankulova, A. S.
—; Sarybaeva, R. I.; Afanasev, V. A.: Infrared Spectroscopy Study of Powder Celluloses Modified by Lewis Acids, 241
Sun, T. See Li, X.-G., 1913
Sun, Y.-M.
—; Chen, J.: Sorption/Desorption Properties of Ethanol, Toluene, and Xylene in Poly(Dimethylsiloxane) Membranes, 1797
Sun, Z. J. See Liu, Y. Q., 2035
Sung, R. L.-D. See Derosa, T. F., 1339
Suzawa, T. See Tamai, H., 1277
Suzuki, H. See Nomura, M., 21
Suzuki, K. See Ikeda, I., 1931; Kitoh, S., 2021
Suzuki, Y. See Inagaki, N., 2131

Tak, T.-M. See Higuchi, A., 1735
Takahashi, H. See Kojima, Y., 683
Takahashi, S. See Kanaya, K., 675
Takechi, S.
—; Matsuda, H.: Cross-linking of Bisepoxide with Divalent Metal Salts of *p*-Aminobenzoic Acid and Anhydride, 537
Takesue, M. See Omi, S., 1239
Tamai, H.
—; Sakurai, H.; Suzawa, T.; Yasuda, H.: Surface Properties and Flocculations of Globulin-Immobilized Fine Polymer Particles, 1277
Tamura, K. See Mori, K., 71
Tang, H.
—; Liu, Z. Y.; Piao, J. H.; Chen, X. F.; Lou, Y. X.; Li, S. H.: Electrical Behavior of Carbon Black-Filled Polymer Composites: Effect of Interaction Between Filler and Matrix, 1159
Tanigami, T. See Yamaura, K., 2041
Tasaka, S. See Inagaki, N., 2131
Tasić, A. Ž. See Bogdanović, V. Ž., 253
Tchir, W. J. See Bailey, A. L., 547
Teramoto, M. See Matsuyama, H., 689
Terbojevich, M. See Focher, B., 583
Thangarathinavelv, M.
—; Tripathi, A. K.; Goel, T. C.; Varma, I. K.: Preparation and Characterization of Polyaniline–PVC Polymer Composite Film (Note), 1347
Thomas, S. See Lizymol, P. P., 635
Timm, D. A.
—; Hsieh, Y.-L.: Solvent-Induced Structural Changes in Sulfonated Poly(ethylene terephthalate) (SPET) Fibers, 1291
Ting, C.-Y. See Yang, C.-P., 1597
Tobita, M. See Asai, S., 1945
Tokunaga, H. See Nomura, M., 21
Tomita, H.
—; Goto, T.: Solution Spinning of the High T_c Oxide Superconductor. II. Effect

of Organic Acid on the Complex Formation of PVA with the Copper (II) Ion, 1151
Tonelli, C. See Mascia, L., 905
Torres-Filho, A.
—; Neckers, D. C.: Mechanical Properties of Acrylate Networks Formed by Visible Laser-Induced Polymerization. I. Dependence on Photopolymerization Parameters, 931
Trask-Morrell, B. J.
—; Choi, H.-M.: Thermal Characteristics of Unsaturated Dicarboxylic Acid Durable Press Finishing Systems, 769
Tripathi, A. K. See Thangarathinavelv, M., 1347
Tripathy, A. R.
—; Das, C. K.: Interchain Crosslinking Between NBR and Polyacrylic Rubber and Effect on (i) Processibility and Blend-Morphology, 245
Tripathy, D. K. See Namboodiri, C. S. S., 1365
Trivedi, H. C. See Shah, S. B., 1421
Trouillet, A. See Zerroukhi, A., 1165
Truter, P.
—; Pizzi, A.; Vermaas, H.: Cold-Setting Wood Adhesives from Kraft Hardwood Lignin, 1319
Tsai, H.-B. See Chang, S.-J., 999
Tsatsaroni, E. See Arvanitoyannis, I., 1753
Tsuji, H.
—; Ikada, Y.; Hyon, S.-H.; Kimura, Y.; Kitao, T.: Stereocomplex Formation Between Enantiomeric Poly(lactic acid). VIII. Complex Fibers Spun from Mixed Solution of Poly(D-lactic acid) and Poly(L-lactic acid), 337
Tsujimura, H. See Omi, S., 1239
Tsukada, M.
—; Freddi, G.; Minoura, N.: Changes in the Fine Structure of Silk Fibroin Fibers Following Gamma Irradiation, 823
—; Gotoh, Y.; Shiozaki, H.; Freddi, G.; Crighton, J. S.: Physical Characteristics of Silk Fibers Modified with Dibasic Acid Anhydrides, 345
—; Kato, H.; Freddi, G.; Kasai, N.; Ishikawa, H.: Structural Changes and Dyeability of Silk Fibroin Fiber Following Shrinkage in Neutral Salt Solution, 619
Tsuneda, S. See Nho, Y. C., 1269
Tuncel, A.
—; Kahraman, R.; Piskin, E.: Monosize Polystyrene Latices Carrying Functional Groups on Their Surfaces, 1485
Turri, S. See Gianotti, G., 972

Uchihori, D. See Kawabata, N., 33
Uragami, T. See Miyata, T., 2007
Urbanczyk, G. W.: About the Ambiguity of the Quantitative Assessment of Crystalline Orientation in Uniaxially Drawn Pet (Note), 201
—; Lipp-Symonowicz, B.: The Influence of Processing Terms of Chitosan Membranes Made of Differently Deacetylated Chitin on the Crystalline Structure of Membranes, 2191

Vainio, T. P. See Heino, M. T., 259
Van Sickle, D. E. See Fagerburg, D. R., 989
Van Zon, J. M. A. M. See Nöel, L. F. J., 2073
Vancso, G. J. See Liu, G., 1991
Varma, I. K. See Thangarathinavelv, M., 1347
Vermaas, H. See Truter, P., 1319
Vittoria, V. See De Candia, F., 2103
Von Meerwall, E. See Kim, D., 661
Vrentas, C. M. See Vrentas, J. S., 1791
Vrentas, J. S.
—; Vrentas, C. M.: Evaluation of a Sorption Equation for Polymer–Solvent Systems, 1791

Wallace, J. F. See Roberts, G. D., 1107
Wang, C.-S. See Ho, T.-H., 2047
Wang, J.-S. See Kumazawa, H., 1015
Wang, S.
—; Mark, J. E.; Erman, B.; Fakirov, S.: Mechanical Properties of Thermoplastic Elastomers of Poly(butylene terephthalate) and Poly(ethylene glycol) in a Bending Deformation, 145
Wang, S.-P. See Ma, S., 1861
Wang, S.-T.
—; Poehlein, G. W.: Studies of Water-Soluble Oligomers Formed in Emulsion Copolymerization, 593
Wang, T. H. See Chen, H. L., 1647
Wang, T.-H.
—; Ho, S.-M.; Chen, H.-L.; Chen, K.-M.; Liang, S.-M.; Hung, A.: Studies on PI/PI Adhesion Strength, 415
—; See Ho, S.-M., 1373
Wang, W.-N. See Chen, D.-S., 1199
Wang, Z.
—; Chen, T.; Xu, J.: Sequence Analysis of Fluorine-Containing Polyarylethersulfone Copolymers by ^{13}C-NMR, 1533
Wesslén, B. See Kjellqvist, K., 1063

White, J. L. See Yoon, P. J., 1515
Wilhelm, C.
—; Gardette, J.-L.: Infrared Identification of Carboxylic Acids Formed in Polymer Photooxidation, 1411
Williams, D. F. See Ali, S. A. M., 1389
Worsfold, D. J. See Mok, S., 193
Wu, P. H. See Liu, Y. Q., 2035
Wu, P. J. See Liu, Y. Q., 2035
Wu, P.-Y.
—; Liu, T.-J.; Chang, H.-M.: Design of an Extrusion Die With a Variable Choker Bar, 1005
Wu, X.-G. See Li, X.-G., 1913
Wu, Z. See Qin, J., 1433
Wyzgoski, M. G.
—; Novak, G. E.: Fatigue-Resistant Nylon Alloys, 873

Xu, J. See Fu, H., 1399, 1405; Wang, Z., 1533
Xu, M. X.
—; Gao, W.; Zhang, W. H.; Peng, T.; Yao, K. D.; Chen, H. Y.; Lu, Y. X.: Relationship Between Superficial Response to Environmental Changes and Adhesive Property of Polyurethane Cross-Linked Polyacrylate Network, 1207
Xu, R. See Bosse, F., 521
Xue, Y.
—; Chen, Z.; Frisch, H. L.: Low-Temperature Cross-linking of Polychloroprene Rubber with "DYTEK" A Amine (Note), 1353
—; Chen, Z.; Frisch, H. L.: The Morphology of Poly(2,6-dimethyl-1,4-phenylene oxide)/Natural Rubber Pseudo IPNs and Their Electrically Conductive Behavior upon Doping with Iodine (Note), 1835

Yamada, T.: Influence of Reaction Temperature on Direct Esterifications in a Continuous Recycling Process Between Terephthalic Acid and Ethylene Glycol, 1323
Yamamoto, A. See Omi, S., 1
Yamamoto, K.
—; Maehara, T.; Mitani, K.; Mizutani, Y.: Preparation and Application of Low Molecular Weight Poly(vinyl chloride). I. Preparation and Thermal Stability, 749
—; Maehara, T.; Mitani, K.; Mizutani, Y.: Preparation and Application of Low Molecular Weight Poly(vinyl chloride). II. Thermal Stability of Blended Poly(vinyl chloride), 755
—; Maehara, T.; Mitani, K.; Mizutani, Y.: Preparation and Application of Low Molecular Weight Poly(vinyl chloride). IV. Preparation and Characteristics of Poly(vinyl chloride) with Broad Molecular Weight Distribution, 555
Yamasaki, A.
—; Mizoguchi, K.: Preparation of PVA Membranes Containing β-Cyclodextrin Oligomer (PVA/CD membrane) and Their Pervaporation Characteristics for Ethanol/Water Mixtures, 2057
Yamaura, K.
—; Karasawa, K.-I.; Tanigami, T.; Matsuzawa, S.: Gelation of Poly(vinyl Alcohol) Solutions at Low Temperatures (20 to −78°C) and Properties of Gels, 2041
Yang, C.-P.
—; Hsiao, S.-H.; Lin, Y.-S.: Synthesis and Properties of Polyamides and Copolyamides Based on 2,6-Naphthalene Dicarboxylic Acid, 2063
—; Ting, C.-Y.: The Electrodeposition Properties of Coemulsion-Contained Quaternary Ammonium/Tertiary Amine Salt Epoxy-Amine Adducts and the Composition Analysis of Its Electrodeposited Film, 1597
—; See Chen, Y.-H., 1539
Yang, C. Q.
—; Martin, L. K.: Photo- and Thermal-Oxidation of the Nonwoven Polypropylene Fabric Studied by FT-IR Photoacoustic Spectroscopy, 389
Yang, C. Z.
—; Zhang, X.; O'Connell, E. M.; Goddard, R. J.; Cooper, S. L.: Blends of Metal Acetates and Polyurethanes Containing Pyridine Groups, 365
Yang, P.-C. See Li, X.-G., 743
Yang, S. Z. See Liu, Y. Q., 2035
Yang, Y.
—; Li, S.; Lan, T.: Ion Sorption by Polyamide with Consideration of Ionic Interaction and Other Physical Interactions, 81
Yao, K. D. See Xu, M. X., 1207
Yasuda, H. See Tamai, H., 1277
Yilmazer, U. See Bouaffar, H., 1119
Yoon, J. R. See Ahmad, S., 1357
Yoon, P. J.
—; White, J. L.: Interfacial Tension of Poly(*p*-phenylene sulfide) with Other Polymer Melts, 1515
Yoshida, M. See Kubota, H., 925
Yoshikawa, M.
—; Kuno, S.-I.; Kitao, T.: Specialty Polymeric Membranes 3. Pervaporation Separation of Acetic Acid/Water Mixtures Through

Polymeric Membranes Having a Pyridine Moiety as a Side Group, 1021
Yoshizawa, I. See Kaji, K., 841
Yuk, S. H. See Choi, O. S., 375
Yun, K.-S. See Higuchi, A., 1735

Zahran, R. R.
—; Kandeil, A. Y.; Higazy, A. A.; Kassem, M. E.: Erratum to "Ultrasonic and Thermal Properties of γ-Irradiated Low-Density Polyethylene", 581
Zaini, M. J. See Fuad, M. Y. A., 1875
Zavargo, Z. See Petrović, Z. S., 1087
Zeng, H. See Mai, K., 57
Zerroukhi, A.
—; Trouillet, A.; Blanc, D.; Boinon, B.; Cachard, A.; Montheard, J. P.: Syntheses and Nonlinear Optical Properties of Polymers Prepared from Chloromethylstyrene, 1165
Zhang, J. B. See Liu, Y. Q., 2035
Zhang, M. See Mai, K., 57
Zhang, P. See Du, F.-S., 2139
Zhang, R.
—; Zheng, H.; Lou, X.; Ma, D.: Crystallization Characteristics of Polypropylene and Low Ethylene Content Polypropylene Copolymer With and Without Nucleating Agents, 51
Zhang, W. H. See Xu, M. X., 1207
Zhang, X. See Yang, C. Z., 365
Zhao, J. See Qin, J., 1433
Zheng, H. See Zhang, R., 51
Zhou, W.
—; Gao, X.; Lu, F.: Silicon-Containing Polypyrrolone for Gas-Separation Application, 855
Zhou, Z.-L. See Li, X.-G., 1913
Zhu, D. B. See Liu, Y. Q., 2035
Zielke, U. See Hüttinger, K. J., 737
Zitouni, F. See Mascia, L., 905
Zulfiqar, M.
—; Quddos, A.; Zulfiqar, S.: Release of Tritium-Labeled Estradiol Steroids from Fully Swollen Hydrogels Of Polyurethane Networks, 2001
Zulfiqar, S. See Zulfiqar, M., 2001